

Are you now limited in any way in any activities because of joint symptoms?*
Kentucky BRFSS 2001

Geographic Groups	Total Respond.#	Yes			No		
		N	%	C.I.(95%)	N	%	C.I.(95%)
TOTAL	3926	1782	40.3	(38.1-42.4)	2144	59.7	(57.6-61.9)
ADDs							
Barren River	280	104	34.6	(28.7-41.0)	176	65.4	(59.0-71.3)
Big Sandy	271	154	54.3	(47.4-61.0)	117	45.7	(39.0-52.6)
Bluegrass	252	104	36.8	(30.3-43.9)	148	63.2	(56.1-69.7)
Buffalo Trace	200	79	38.8	(30.5-47.9)	121	61.2	(52.1-69.5)
Cumberland Valley	267	145	53.9	(46.9-60.7)	122	46.1	(39.3-53.1)
FIVCO	338	176	50.9	(44.7-57.0)	162	49.1	(43.0-55.3)
Gateway	300	127	40.5	(34.1-47.2)	173	59.5	(52.8-65.9)
Green River	204	85	38.0	(30.9-45.7)	119	62.0	(54.3-69.1)
Kentucky River	281	168	55.9	(49.0-62.6)	113	44.1	(37.4-51.0)
KIPDA	256	86	32.7	(26.5-39.5)	170	67.3	(60.5-73.5)
Lake Cumberland	266	123	45.1	(38.3-52.1)	143	54.9	(47.9-61.7)
Lincoln Trail	248	100	37.3	(30.9-44.3)	148	62.7	(55.7-69.1)
Northern Kentucky	268	98	35.3	(29.2-42.0)	170	64.7	(58.0-70.8)
Pennyrile	219	104	42.8	(35.7-50.2)	115	57.2	(49.8-64.3)
Purchase	276	129	45.9	(39.3-52.5)	147	54.1	(47.5-60.7)

*This question is asked to respondents who reported having pain, aching, stiffness or swelling in or around a joint.

#Use caution in interpreting data for total respondents less than 50. N = Cell Size, NH = Non-Hispanic, %

= Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level).

Percentages are weighted to population characteristics.

Unless stated differently above, Missing, 'Don't know', and Refused responses are excluded.